



STP MBH™ Series

Replacement for: H™ Series

Item	STP Part No.	Char-Lynn Ref. #	Shaft Type	mounting	displacement (in ³)	port size
1	STPMBH504BN	101-1001	1" keyed straight shaft w/woodruff key	4 bolt	2.80	1/2 NPTF
2	STPMBH804BN	101-1002	1" keyed straight shaft w/woodruff key	4 bolt	4.50	1/2 NPTF
3*	STPMBH1004BN	101-1003	1" keyed straight shaft w/woodruff key	4 bolt	5.90	1/2 NPTF
4*	STPMBH1604BN	101-1004	1" keyed straight shaft w/woodruff key	4 bolt	9.70	1/2 NPTF
5*	STPMBH2004BN	101-1005	1" keyed straight shaft w/woodruff key	4 bolt	11.30	1/2 NPTF
6	STPMBH2504BN	101-1006	1" keyed straight shaft w/woodruff key	4 bolt	14.10	1/2 NPTF
7*	STPMBH3154BN	101-1007	1" keyed straight shaft w/woodruff key	4 bolt	17.90	1/2 NPTF
8*	STPMBH4004BN	101-1008	1" keyed straight shaft w/woodruff key	4 bolt	22.60	1/2 NPTF
9	STPMBH504BA	101-1009	1" keyed straight shaft w/woodruff key	4 bolt	2.80	SAE 10
10	STPMBH804BA	101-1010	1" keyed straight shaft w/woodruff key	4 bolt	4.50	SAE 10
11*	STPMBH1004BA	101-1011	1" keyed straight shaft w/woodruff key	4 bolt	5.90	SAE 10
12*	STPMBH1604BA	101-1012	1" keyed straight shaft w/woodruff key	4 bolt	9.70	SAE 10
13*	STPMBH2004BA	101-1013	1" keyed straight shaft w/woodruff key	4 bolt	11.30	SAE 10
14	STPMBH2504BA	101-1014	1" keyed straight shaft w/woodruff key	4 bolt	14.10	SAE 10
15*	STPMBH3154BA	101-1015	1" keyed straight shaft w/woodruff key	4 bolt	17.90	SAE 10
16*	STPMBH4004BA	101-1016	1" keyed straight shaft w/woodruff key	4 bolt	22.60	SAE 10
17	STPMBH502BN	101-1025	1" keyed straight shaft w/woodruff key	2 bolt	2.80	1/2 NPTF
18	STPMBH802BN	101-1026	1" keyed straight shaft w/woodruff key	2 bolt	4.50	1/2 NPTF
19*	STPMBH1002BN	101-1027	1" keyed straight shaft w/woodruff key	2 bolt	5.90	1/2 NPTF
20*	STPMBH1602BN	101-1028	1" keyed straight shaft w/woodruff key	2 bolt	9.70	1/2 NPTF
21*	STPMBH2002BN	101-1029	1" keyed straight shaft w/woodruff key	2 bolt	11.30	1/2 NPTF
22	STPMBH2502BN	101-1030	1" keyed straight shaft w/woodruff key	2 bolt	14.10	1/2 NPTF
23*	STPMBH3152BN	101-1031	1" keyed straight shaft w/woodruff key	2 bolt	17.90	1/2 NPTF
24*	STPMBH4002BN	101-1032	1" keyed straight shaft w/woodruff key	2 bolt	22.60	1/2 NPTF
25	STPMBH502BA	101-1033	1" keyed straight shaft w/woodruff key	2 bolt	2.80	SAE 10
26	STPMBH802BA	101-1034	1" keyed straight shaft w/woodruff key	2 bolt	4.50	SAE 10
27*	STPMBH1002BA	101-1035	1" keyed straight shaft w/woodruff key	2 bolt	5.90	SAE 10
28*	STPMBH1602BA	101-1036	1" keyed straight shaft w/woodruff key	2 bolt	9.70	SAE 10
29*	STPMBH2002BA	101-1037	1" keyed straight shaft w/woodruff key	2 bolt	11.30	SAE 10
30	STPMBH2502BA	101-1038	1" keyed straight shaft w/woodruff key	2 bolt	14.10	SAE 10
31*	STPMBH3152BA	101-1039	1" keyed straight shaft w/woodruff key	2 bolt	17.90	SAE 10
32*	STPMBH4002BA	101-1040	1" keyed straight shaft w/woodruff key	2 bolt	22.60	SAE 10
33*	STPMBH632BA	101-1701	1" keyed straight shaft w/woodruff key	2 bolt	3.60	SAE 10
34	STPMBH1252BA	101-1702	1" keyed straight shaft w/woodruff key	2 bolt	7.30	SAE 10
35*	STPMBH632BN	101-1705	1" keyed straight shaft w/woodruff key	2 bolt	3.60	1/2 NPTF
36	STPMBH1252BN	101-1706	1" keyed straight shaft w/woodruff key	2 bolt	7.30	1/2 NPTF
37*	STPMBH634BA	101-1750	1" keyed straight shaft w/woodruff key	4 bolt	3.60	SAE 10
38	STPMBH1254BA	101-1751	1" keyed straight shaft w/woodruff key	4 bolt	7.30	SAE 10
39*	STPMBH634BN	101-1754	1" keyed straight shaft w/woodruff key	4 bolt	3.60	1/2 NPTF
40	STPMBH1254BN	101-1755	1" keyed straight shaft w/woodruff key	4 bolt	7.30	1/2 NPTF

STP MBS™ Series

Replacement for: S™ Series



Item	STP Part No.	Char-Lynn Ref. #	Shaft Type	mounting	displacement (in ³)	port size
1	STPMBS804BN	103-1002	1" keyed straight shaft w/woodruff key	4 bolt	4.50	1/2 NPTF
2*	STPMBS1004BN	103-1003	1" keyed straight shaft w/woodruff key	4 bolt	5.90	1/2 NPTF
3*	STPMBS1604BN	103-1004	1" keyed straight shaft w/woodruff key	4 bolt	9.70	1/2 NPTF
4*	STPMBS2004BN	103-1005	1" keyed straight shaft w/woodruff key	4 bolt	11.30	1/2 NPTF
5	STPMBS2504BN	103-1006	1" keyed straight shaft w/woodruff key	4 bolt	13.70	1/2 NPTF
6*	STPMBS3154BN	103-1007	1" keyed straight shaft w/woodruff key	4 bolt	17.90	1/2 NPTF
7*	STPMBS4004BN	103-1008	1" keyed straight shaft w/woodruff key	4 bolt	22.60	1/2 NPTF
8	STPMBS804BA	103-1010	1" keyed straight shaft w/woodruff key	4 bolt	4.50	SAE 10
9*	STPMBS1004BA	103-1011	1" keyed straight shaft w/woodruff key	4 bolt	5.90	SAE 10
10*	STPMBS1604BA	103-1012	1" keyed straight shaft w/woodruff key	4 bolt	9.70	SAE 10
11*	STPMBS2004BA	103-1013	1" keyed straight shaft w/woodruff key	4 bolt	11.30	SAE 10
12	STPMBS2504BA	103-1014	1" keyed straight shaft w/woodruff key	4 bolt	13.70	SAE 10
13*	STPMBS3154BA	103-1015	1" keyed straight shaft w/woodruff key	4 bolt	17.90	SAE 10
14*	STPMBS4004BA	103-1016	1" keyed straight shaft w/woodruff key	4 bolt	22.60	SAE 10
15	STPMBS802BN	103-1026	1" keyed straight shaft w/woodruff key	2 bolt	4.50	1/2 NPTF
16*	STPMBS1002BN	103-1027	1" keyed straight shaft w/woodruff key	2 bolt	5.90	1/2 NPTF
17*	STPMBS1602BN	103-1028	1" keyed straight shaft w/woodruff key	2 bolt	9.70	1/2 NPTF
18*	STPMBS2002BN	103-1029	1" keyed straight shaft w/woodruff key	2 bolt	11.30	1/2 NPTF
19	STPMBS2502BN	103-1030	1" keyed straight shaft w/woodruff key	2 bolt	13.70	1/2 NPTF
20*	STPMBS3152BN	103-1031	1" keyed straight shaft w/woodruff key	2 bolt	17.90	1/2 NPTF
21*	STPMBS4002BN	103-1032	1" keyed straight shaft w/woodruff key	2 bolt	22.60	1/2 NPTF
22	STPMBS802BA	103-1034	1" keyed straight shaft w/woodruff key	2 bolt	4.50	SAE 10
23*	STPMBS1002BA	103-1035	1" keyed straight shaft w/woodruff key	2 bolt	5.90	SAE 10
24*	STPMBS1602BA	103-1036	1" keyed straight shaft w/woodruff key	2 bolt	9.70	SAE 10
25*	STPMBS2002BA	103-1037	1" keyed straight shaft w/woodruff key	2 bolt	11.30	SAE 10
26	STPMBS2502BA	103-1038	1" keyed straight shaft w/woodruff key	2 bolt	13.70	SAE 10
27*	STPMBS3152BA	103-1039	1" keyed straight shaft w/woodruff key	2 bolt	17.90	SAE 10
28*	STPMBS4002BA	103-1040	1" keyed straight shaft w/woodruff key	2 bolt	22.60	SAE 10
29*	STPMBS632BA	103-1537	1" keyed straight shaft w/woodruff key	2 bolt	3.60	SAE 10
30	STPMBS1252BA	103-1538	1" keyed straight shaft w/woodruff key	2 bolt	7.30	SAE 10
31*	STPMBS632BN	103-1540	1" keyed straight shaft w/woodruff key	2 bolt	3.60	1/2 NPTF
32	STPMBS1252BN	103-1541	1" keyed straight shaft w/woodruff key	2 bolt	7.30	1/2 NPTF
33*	STPMBS634BA	103-1570	1" keyed straight shaft w/woodruff key	4 bolt	3.60	SAE 10
34	STPMBS1254BA	103-1571	1" keyed straight shaft w/woodruff key	4 bolt	7.30	SAE 10
35*	STPMBS634BN	103-1573	1" keyed straight shaft w/woodruff key	4 bolt	3.60	1/2 NPTF
36	STPMBS1254BN	103-1574	1" keyed straight shaft w/woodruff key	4 bolt	7.30	1/2 NPTF



STP MB2K™ Series

Replacement for: 2000™ Series

Item	STP Part No.	Char-Lynn Ref. #	Shaft Type	Mount	Disp (in ³)	port size
1	STPMB2K802BBB	104-1001	1 " keyed straight shaft w/woodruff key	2 bolt A	4.90	SAE 10
2	STPMB2K1002BBB	104-1002	1 " keyed straight shaft w/woodruff key	2 bolt A	6.20	SAE 10
3	STPMB2K1252BAA	104-1003	1 " keyed straight shaft w/woodruff key	2 bolt A	8.00	SAE 10
4	STPMB2K1602BBB	104-1004	1 " keyed straight shaft w/woodruff key	2 bolt A	9.60	SAE 10
5*	STPMB2K2002BBB	104-1005	1 " keyed straight shaft w/woodruff key	2 bolt A	11.30	SAE 10
6	STPMB2K2502BBB	104-1006	1 " keyed straight shaft w/woodruff key	2 bolt A	14.90	SAE 10
7*	STPMB2K3052BBB	104-1007	1 " keyed straight shaft w/woodruff key	2 bolt A	18.60	SAE 10
8*	STPMB2K802BAA	104-1022	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	4.88	SAE 10
9*	STPMB2K1002BAA	104-1023	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	5.90	SAE 10
10	STPMB2K1252BBB	104-1024	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	8.00	SAE 10
11*	STPMB2K1602BAA	104-1025	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	9.70	SAE 10
12*	STPMB2K2002BAA	104-1026	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	11.30	SAE 10
13*	STPMB2K2502BAA	104-1027	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	15.20	SAE 10
14*	STPMB2K3052BAA	104-1028	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	18.60	SAE 10
15	STPMB2K802BJA	104-1029	1 1/4" 14T splined	2 bolt A	4.90	SAE 10
16	STPMB2K1002BJA	104-1030	1 1/4" 14T splined	2 bolt A	6.20	SAE 10
17	STPMB2K1252BJA	104-1031	1 1/4" 14T splined	2 bolt A	8.00	SAE 10
18	STPMB2K1602BJA	104-1032	1 1/4" 14T splined	2 bolt A	9.60	SAE 10
19	STPMB2K2002BJA	104-1033	1 1/4" 14T splined	2 bolt A	11.90	SAE 10
20	STPMB2K2502BJA	104-1034	1 1/4" 14T splined	2 bolt A	14.90	SAE 10
21	STPMB2K3052BJA	104-1035	1 1/4" 14T splined	2 bolt A	18.70	SAE 10
22	STPMB2K802BDDD	104-1037	1 " keyed straight shaft w/woodruff key	2 bolt A	4.90	1-1/16-12 St. Thrd O-Ring 180°Apart
23	STPMB2K1002BDDD	104-1038	1 " keyed straight shaft w/woodruff key	2 bolt A	6.20	1-1/16-12 St. Thrd O-Ring 180°Apart
24	STPMB2K1252BDDD	104-1039	1 " keyed straight shaft w/woodruff key	2 bolt A	8.00	1-1/16-12 St. Thrd O-Ring 180°Apart
25	STPMB2K1602BDDD	104-1040	1 " keyed straight shaft w/woodruff key	2 bolt A	9.60	1-1/16-12 St. Thrd O-Ring 180°Apart
26	STPMB2K2002BDDD	104-1041	1 " keyed straight shaft w/woodruff key	2 bolt A	11.90	1-1/16-12 St. Thrd O-Ring 180°Apart
27	STPMB2K2502BDDD	104-1042	1 " keyed straight shaft w/woodruff key	2 bolt A	14.90	1-1/16-12 St. Thrd O-Ring 180°Apart
28	STPMB2K3052BDDD	104-1043	1 " keyed straight shaft w/woodruff key	2 bolt A	18.70	1-1/16-12 St. Thrd O-Ring 180°Apart
29	STPMB2K4002BDDD	104-1044	1 " keyed straight shaft w/woodruff key	2 bolt A	24.00	1-1/16-12 St. Thrd O-Ring 180°Apart
30	STPMB2K802BEEEE	104-1061	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	4.90	1-1/16-12 St. Thrd O-Ring 180°Apart
31	STPMB2K1002BEEEE	104-1062	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	6.20	1-1/16-12 St. Thrd O-Ring 180°Apart
32	STPMB2K1252BEEEE	104-1063	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	8.00	1-1/16-12 St. Thrd O-Ring 180°Apart
33	STPMB2K1602BEEEE	104-1064	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	9.60	1-1/16-12 St. Thrd O-Ring 180°Apart
34	STPMB2K2002BEEEE	104-1065	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	11.90	1-1/16-12 St. Thrd O-Ring 180°Apart
35	STPMB2K2502BEEEE	104-1066	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	14.90	1-1/16-12 St. Thrd O-Ring 180°Apart
36	STPMB2K3052BEEEE	104-1067	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	18.70	1-1/16-12 St. Thrd O-Ring 180°Apart
37	STPMB2K4002BEEEE	104-1068	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	24.00	1-1/16-12 St. Thrd O-Ring 180°Apart
38	STPMB2K802BJJJ	104-1087	1 1/4" 14T splined	2 bolt A	4.90	1-1/16-12 St. Thrd O-Ring 180°Apart
39	STPMB2K1002BJJJ	104-1088	1 1/4" 14T splined	2 bolt A	6.20	1-1/16-12 St. Thrd O-Ring 180°Apart
40	STPMB2K1252BJJJ	104-1089	1 1/4" 14T splined	2 bolt A	8.00	1-1/16-12 St. Thrd O-Ring 180°Apart
41	STPMB2K1602BJJJ	104-1090	1 1/4" 14T splined	2 bolt A	9.60	1-1/16-12 St. Thrd O-Ring 180°Apart
42	STPMB2K2002BJJJ	104-1091	1 1/4" 14T splined	2 bolt A	11.90	1-1/16-12 St. Thrd O-Ring 180°Apart
43	STPMB2K2502BJJJ	104-1092	1 1/4" 14T splined	2 bolt A	14.90	1-1/16-12 St. Thrd O-Ring 180°Apart
44	STPMB2K3052BJJJ	104-1093	1 1/4" 14T splined	2 bolt A	18.70	1-1/16-12 St. Thrd O-Ring 180°Apart
45	STPMB2K4002BJJJ	104-1094	1 1/4" 14T splined	2 bolt A	24.00	1-1/16-12 St. Thrd O-Ring 180°Apart
46	STPMB2K4002BBB	104-1143	1 " keyed straight shaft w/woodruff key	2 bolt A	24.00	SAE 10
47	STPMB2K802BABA	104-1193	1" SAE 6B Splined	2 bolt B	4.90	SAE 10
48	STPMB2K1002BABA	104-1194	1" SAE 6B Splined	2 bolt B	6.20	SAE 10
49	STPMB2K1252BABA	104-1195	1" SAE 6B Splined	2 bolt B	8.00	SAE 10
50	STPMB2K1602BABA	104-1196	1" SAE 6B Splined	2 bolt B	9.60	SAE 10
51	STPMB2K2002BABA	104-1197	1" SAE 6B Splined	2 bolt B	11.90	SAE 10
52	STPMB2K2502BABA	104-1198	1" SAE 6B Splined	2 bolt B	14.90	SAE 10
53	STPMB2K3052BABA	104-1199	1" SAE 6B Splined	2 bolt B	18.70	SAE 10

STP MB2K™ Series

Replacement for: 2000™ Series

(continued)

Item	STP Part No.	Char-Lynn Ref. #	Shaft Type	mounting	displacement (in ³)	port size
54	STPMB2K802BABB	104-1200	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	4.90	SAE 10
55	STPMB2K1002BABB	104-1201	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	6.20	SAE 10
56	STPMB2K1252BABB	104-1202	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	8.00	SAE 10
57	STPMB2K1602BABB	104-1203	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	9.60	SAE 10
58	STPMB2K2002BABB	104-1204	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	11.90	SAE 10
59	STPMB2K2502BABB	104-1205	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	14.90	SAE 10
60	STPMB2K3052BABB	104-1206	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	18.70	SAE 10
61	STPMB2K4002BABB	104-1207	1 1/4" keyed straight shaft w/woodruff key	2 bolt B	24.00	SAE 10
62	STPMB2K802BT	104-1208	1 1/4" Involute SAE C Splined	2 bolt B	4.90	SAE 10
63	STPMB2K1002BT	104-1209	1 1/4" Involute SAE C Splined	2 bolt B	6.20	SAE 10
64	STPMB2K1252BT	104-1210	1 1/4" Involute SAE C Splined	2 bolt B	8.00	SAE 10
65	STPMB2K1602BT	104-1211	1 1/4" Involute SAE C Splined	2 bolt B	9.60	SAE 10
66	STPMB2K2002BT	104-1212	1 1/4" Involute SAE C Splined	2 bolt B	11.90	SAE 10
67	STPMB2K2502BT	104-1213	1 1/4" Involute SAE C Splined	2 bolt B	14.90	SAE 10
68	STPMB2K3052BT	104-1214	1 1/4" Involute SAE C Splined	2 bolt B	18.70	SAE 10
69	STPMB2K4002BT	104-1215	1 1/4" Involute SAE C Splined	2 bolt B	24.00	SAE 10
70	STPMB2K802BTA	104-1216	7/8" SAE B Splined	2 bolt B	4.90	SAE 10
71	STPMB2K1002BTA	104-1217	7/8" SAE B Splined	2 bolt B	6.20	SAE 10
72	STPMB2K1252BTA	104-1218	7/8" SAE B Splined	2 bolt B	8.00	SAE 10
73	STPMB2K1602BTA	104-1219	7/8" SAE B Splined	2 bolt B	9.60	SAE 10
74	STPMB2K2002BTA	104-1220	7/8" SAE B Splined	2 bolt B	11.90	SAE 10
75*	STPMB2K4002BAA	104-1228	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	22.60	SAE 10
76	STPMB2K802BJA	104-1229	1 1/4" 14T splined	2 bolt A	24.00	SAE 10
77	STPMB2K802BJB	104-1376	1 1/4" 14T splined	2 bolt B	4.90	G 1/2 BSP
78	STPMB2K1002BJB	104-1377	1 1/4" 14T splined	2 bolt B	6.20	G 1/2 BSP
79	STPMB2K1252BJB	104-1378	1 1/4" 14T splined	2 bolt B	8.00	G 1/2 BSP
80	STPMB2K1602BJB	104-1379	1 1/4" 14T splined	2 bolt B	9.60	G 1/2 BSP
81	STPMB2K2002BJB	104-1380	1 1/4" 14T splined	2 bolt B	11.90	G 1/2 BSP
82	STPMB2K2502BJB	104-1381	1 1/4" 14T splined	2 bolt B	14.90	G 1/2 BSP
83	STPMB2K3052BJB	104-1382	1 1/4" 14T splined	2 bolt B	18.70	G 1/2 BSP
84	STPMB2K4002BJB	104-1383	1 1/4" 14T splined	2 bolt B	24.00	G 1/2 BSP
85	STPMB2K802BM	104-1384	32mm Straight	2 bolt B	4.90	G 1/2 BSP
86	STPMB2K1002BM	104-1385	32mm Straight	2 bolt B	6.20	G 1/2 BSP
87	STPMB2K1252BM	104-1386	32mm Straight	2 bolt B	8.00	G 1/2 BSP
88	STPMB2K1602BM	104-1387	32mm Straight	2 bolt B	9.60	G 1/2 BSP
89	STPMB2K2002BM	104-1388	32mm Straight	2 bolt B	11.90	G 1/2 BSP
90	STPMB2K2502BM	104-1389	32mm Straight	2 bolt B	14.90	G 1/2 BSP
91	STPMB2K3052BM	104-1390	32mm Straight	2 bolt B	18.70	G 1/2 BSP
92	STPMB2K4002BM	104-1391	32mm Straight	2 bolt B	24.00	G 1/2 BSP
93	STPMB2K5002BAA	104-1420	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	29.80	SAE 10
94	STPMB2K5002EEE	104-1421	1 1/4" keyed straight shaft w/woodruff key	2 bolt A	29.80	1-1/16-12 St. Thrd O-Ring 180° Apart
95	STPMB2K5002BJA	104-1422	1 1/4" 14T splined	2 bolt A	29.80	SAE 10
96	STPMB2K5002BJJJ	104-1423	1 1/4" 14T splined	2 bolt A	29.80	1-1/16-12 St. Thrd O-Ring 180° Apart
97	STPMB2K80A	106-1008	Bearingless	Bearingless	4.90	SAE 10
98	STPMB2K100A	106-1009	Bearingless	Bearingless	6.20	SAE 10
99	STPMB2K125A	106-1010	Bearingless	Bearingless	8.00	SAE 10
100	STPMB2K160A	106-1011	Bearingless	Bearingless	9.60	SAE 10
101	STPMB2K200A	106-1012	Bearingless	Bearingless	11.90	SAE 10
102	STPMB2K250A	106-1013	Bearingless	Bearingless	14.90	SAE 10
103	STPMB2K305A	106-1014	Bearingless	Bearingless	18.70	SAE 10
104	STPMB2K400A	106-1015	Bearingless	Bearingless	24.00	SAE 10
105	STPMB2K80B	106-1038	Bearingless	Bearingless	4.90	G 1/2 BSP
106	STPMB2K100B	106-1039	Bearingless	Bearingless	6.20	G 1/2 BSP
107	STPMB2K125B	106-1040	Bearingless	Bearingless	8.00	G 1/2 BSP
108	STPMB2K160B	106-1041	Bearingless	Bearingless	9.60	G 1/2 BSP
109	STPMB2K200B	106-1042	Bearingless	Bearingless	11.90	G 1/2 BSP
110	STPMB2K250B	106-1043	Bearingless	Bearingless	14.90	G 1/2 BSP
111	STPMB2K305B	106-1044	Bearingless	Bearingless	18.70	G 1/2 BSP

STP MB2K™ Series

Sonic Hydraulics® Motors Suitable for Char-Lynn™

Call (305)-594-0777
www.stpusa.net

Replacement for: 2000™ Series

(continued)

Item	STP Part No.	Char-Lynn Ref. #	Shaft Type	mounting	displacement (in ³)	port size
112	STPMB2K400B	106-1045	Bearingless	Bearingless	24.00	G 1/2 BSP
113	STPMB2K500B	106-1047	Bearingless	Bearingless	29.80	SAE 10

*** In Stock, Available for Immediate Delivery**

Not responsible for any typographical errors. Please double check specifications prior to ordering.

Sonic Hydraulics® is a registered trademark of Sonic Tractor Parts, Inc.

Serving the world since 1989, we provide high quality hydraulic products matched with affordability, durability, and excellent service.

Call Toll Free in the USA- 800-695-3948
Wholesale only

For more information on our products, please contact us below:

Sonic Hydraulics®
1780 NW 93rd Avenue
Doral, FL 33172 USA
T: (305)594-0777
F: (305)594-7798
Email: Sales@stpusa.net
Web:www.stpusa.net